

Juven[®]

From the makers of *Ensure*[®]

WHEN YOU THINK WOUND CARE, DO YOU THINK NUTRITION?



Abbott

Poor nutrition can lead to impaired or delayed wound healing¹

Inadequate nutritional status can occur in those with wounds such as:



PRESSURE INJURIES



DIABETIC FOOT WOUNDS




SURGICAL INCISIONS



OTHER ACUTE AND CHRONIC WOUNDS

Juven[®] delivers essential nutrients to help support wound healing from the inside out



Each phase of the healing process is supported by key nutrients^{1,12,13}

HEMOSTASIS	VITAMIN K, ARGININE, PROTEIN
INFLAMMATION	CARBOHYDRATES, FATS, VITAMIN C, ZINC, GLUTAMINE, ARGININE, SELENIUM, VITAMIN E
PROLIFERATION	PROTEIN, ARGININE, ZINC, VITAMIN C, COPPER, VITAMIN A, FATTY ACIDS
REMODELING	VITAMIN A, VITAMIN C, COPPER, PROTEIN, AMINO ACIDS, ZINC

Nutrition is a key intervention for wound healing according to several professional societies[†]

NATIONAL PRESSURE INJURY ADVISORY PANEL

Recommends the addition of arginine, zinc, and antioxidants for patients with stage 2-4 pressure injuries who are malnourished or at risk of malnutrition⁸

The SPIPP 2.0 includes provision of additional calories, protein, fluid, and other nutrients, such as a multivitamin, arginine, glutamine, and HMB⁹

AMERICAN LIMB PRESERVATION SOCIETY

Recommends nutrition intervention for patients with diabetic foot ulcers; they specifically highlight arginine, glutamine, HMB, and micronutrients for wound healing¹⁰

[†] This includes guidelines published by the National Pressure Injury Advisory Panel (NPIAP), American Limb Preservation Society (ALPS), the Wound Healing Society (WHS), and the Association for the Advancement of Wound Care (AAWC).

IT'S TIME TO GIVE PATIENTS THE NUTRITIONAL SUPPORT OF JUVEN® FOR WOUND HEALING


Clinically shown to enhance collagen formation at the wound site^{11*}



Recommend Juven 2x per day
to support wound healing



Available at:   



Mix 1 packet of Juven with 8-10 oz of a liquid or food
Available in Orange, Fruit Punch, Pineapple Coconut, and Unflavored



Juven is for use under medical supervision in addition to a complete, balanced diet.

* Studied in healthy elderly as part of a wound healing model taking two servings per day; as measured by hydroxyproline levels, a marker of wound collagen formation.

References: 1. Molnar JA, ed. Nutrition and Wound Healing. Boca Raton, FL: CRC Press; 2007. 2. Andrabi SM, et al. *Adv Sci (Weinh)*. 2023;10(30):e2303259. 3. Bellon G, et al. *Biochim Biophys Acta*. 1995;1268(3):311-323. 4. Andrews FJ, et al. *Br J Nutr*. 2002;87(suppl 1):S3-S8. 5. Proksch E, et al. *Skin Pharmacol Physiol*. 2014;27:113-119. 6. Wilson GJ, et al. *Nutr Metab*. 2008;5:1. 7. Rathmacher JA, et al. *J Int Soc Sports Nutr*. 2025;22:2434734. 8. European Pressure Ulcer Advisory Panel, National Pressure Injury Advisory Panel and Pan Pacific Pressure Injury Alliance. Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guidelines. Emily Haesler (Ed.) EPUAP/NPIAP/PPPIA; 2019. 9. Pittman J, et al. *J Adv Nurs*. 2023;00:1-8. 10. Armstrong DG, et al. Nutrition Interventions in Adults with Diabetic Foot Ulcers, American Limb Preservation Society. <https://www.guidelinecentral.com/guideline/502765/pocket-guide/502768>. Accessed February 14, 2025. 11. Williams JZ, et al. *Ann Surg*. 2002;236:369-375. 12. Penny H, et al. *J Wound Care*. 2022;31:S14-S22. 13. Ju M, et al. *Ann Clin Nutr Metab*. 2023;15:67-71.

©2025 Abbott. 202521724/March 2025 LITHO IN USA

All trademarks referenced are trademarks of either the Abbott group of companies or their respective owners. Any photos displayed are for illustrative purposes only. Any person depicted in such photos may be a model.

